GOLD PRESS 32, 46, 68, 100, 150, 220, 320

(Compressor Oil)

GOLD PRESS series oils are formulated with superior hydro treated base stocks and have a good demulsibility property and low deposit and sludge forming tendency. Gold Press oils meet the specific requirement of ammonia oxidation and air blow test and are recommended for lubrication of ammonia and Syn-gas centrifugal and screw type compressors.

PROPERTIES:-

- Good oxidation stability and ageing resistance
- Rapid air release and low foaming

An ISO 9001:2015 Certified Company

- Excellent corrosion protection for steel and non ferrous metals
- > Optimum demulsification characteristics
- Good compatibility with sealing materials

	GOLD PRESS OIL SERIES									
	Test Properties	Test Method	ISO VG 32	ISO VG 46	ISO VG 68	ISO VG 100	ISO VG 150	ISO VG 220	ISO VG 320	ISO VG 460
Typical Properties & Characteristics	Appearance	Visual	Bright & Clear							
	Colour, Max	ASTM D 1500	2.5	2.5	3.5	4.0	4.0	4.5	4.5	4.5
	Density @ 29.5, °C, g/ml, Min	ASTM D 1298	0.820	0.820	0.830	0.840	0.860	0.860	0.880	0.880
	Viscosity, Kinematic 40 at°C, cSt	ASTM D 445	28 - 32	43 - 49	65 - 70	95 - 105	140- 160	209- 231	300- 340	435- 485
	Viscosity Index, Min	ASTM D 2270	90	90	90	90	90	90	90	90
	Pour Point, °C, Max	ASTM D 97	-12	-9	-6	-6	-3	-3	-3	-3
	Flash Point, COC, °C, Min	ASTM D 92	190	195	200	210	210	220	230	240

Packaging Options: GOLD PRESS OIL series is offered in 26, 50 & 210 Liter.

Health & Safety: See corresponding product MSDS

The information contained herein is, to our best knowledge, true and accurate, but all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. There is no implied warranty of merchantability or fitness for purpose of the product or products described herein. In submitting this information, no liability is assumed or license or other rights express or implied given with respect to any existing or pending patent, patent applications or trademarks. The observance of all legal regulations and patents is the responsibility of the user.